HMS Granado 1742
Section 3



http://www.cafmodel.com
Em：450449987@QQ.com


1
9A-1
4F-1
-2
-3
-4
-5
-6
4A-1
4A-2
-3
-4
-5
-6
6A-1
4A-6
-7
-8
-9
4B-1
-2
-3
-4
-5
4F-7
-8
-9
-10
9A-2
9A-3
4X4
4C-13
4C-1
-2
3E-3
3E-3
-4
-5
-3
4C-13
6A-3
3E-2
-5
-2
-4
3E-2
3E-2
3E-2
2X2
6A-3


2
4C-6
6A-5
-7
6A-5
-9
-8
-10
-8
4C-6
-10
-7
4X4
-9
2X2
2B-6
5A-7
1M-1
5A-6
-7
2B-6
6A-4
3E-2
4C-11
3E-2
3E-2
6A-4
4C-12
4C-11
4C-11
3E-2
6A-6
2X2
6A-6
4C-11
4C-12
5A-9
5A-8
5A-9
5A-9
5A-8
5A-9


3
Use the 3F-4 template to determine
the position of the bow beam
2D-3
4G-13
3F-4
3F-5
3F-5
3F-4
2D-3
4B-6
4F-11
-7
-12
-8
-13
-9
-14
-10
-15
-11
3A-2
3D-11
3D-11
2B-9
Remove excess


4
8mm
5
3A-3
Slight radian
Remove excess outside
Polish smooth
6
1F,G-1
1.5X5

7



The deck here needs to be polished and adjusted during installation



8





14



9



10





11



12



The back is also made







13









14










15
3D-12
PE-31,32
1.5X5
3D-7
Remove excess at the top
16
1Ff,Fg-1
4G-16
17
4G-8
5B
1W-6
4G-10
-9
-7
-6
-11
-6
18
2X2
-2
1Fc-1
-2
1i-3
1W-2


19
9
3A-5
4G-14
26
PE-13
PE-12
20
1E-5,6
2C-14
2C-13
1Ff-2
1Fg-2
21
2D-1
4G-2
4G-3
3C-3
4G-2
4G-3
23
remove
1E-15











The order from front to back is -a,-b,-c
The order from top to bottom is 1,2,3
First make the hull No.5-8, and then make the restThe hull with No. 24 at the bottom increases the width, and the installation shape needs to be polished and adjusted during fabrication




25
1E-1
4G-12
4G-12
3X4
Installation after 2 layers of bonding
26
4G-5
1E-2
4G-5
3D-13 X2
13
12
14
12
44
27
2C-6
1V-5
1E-16
1V-5
2D-2
28
1X-4
3C-1
Install after 3 layers of
bonding and grinding
3C-1
3B-2
3D-3
3D-2


29
4G-15
1Y-7
4G-15
1Y-7
1Y-8
1Y-8
4G-4
1E-16
30
4G-4
3D-14
4G-4
3D-14
1Y-6
3A-4
3A-4
31
4D-1
4D-2
4D-2
3D-10
3D-9
3D-9
3D-8
4D-3
5A-4
4D-3
5A-3


32
1
4E-1
6
7
1E-9
1E-9
2C-11
4E-3
4E-4
4E-5
5A-5
2
4E-2
2C-2
2C-1
2C-1
1X-3
1X-1
2C-2
1X-2
1X-3
Remove red areas
3F-3
3F-1
3F-2
Make template

33









Internal support and hatch cover












34
1E-7
1E-8
1Fc-4
1Fc-4
1Fh-1
1Fa,b-3
1Fd,e,-2
Remove the red area and grind it smooth
35
32
1E-16
2C-12
1L-1
4G-17
1E-15
1P-5
1Y-5
3A-1
2C-10
1W-4
1i-1
1L-2


36
1E-11
19
37
1V-2
1V-1
Punching
38
21
20
18
39
11
1R,S-1
2A-1
1T,U-1


40
22
PE-1 or 27
1.2x5
41
PE-10 or 27
1.2x5
Open a hole
42
31
8
6A-2
6A-1
PE-33
2D-6
1E-12
1E-13
1E-14
1N-1
0A-3
0A-2
0A-1


43
2D-4
3B-1
2D-5
44
1Z-6
∅3
1i-3
1O-2
45
1H-4
1H-4
1Q-1
1Q-2
∅3
drill hole
10
Pay attention to the direction of the water outlet
46
Pay attention to the direction of the water outlet
PE-11
1Z-1

47 Cut to appropriate length for fabrication





48





49





50






51
3#
PE-35
∅0.8 Copper wire
2B-7
52
2B-7
2B-5
2C-7
2B,C-4
2B,C-3
3B-5
PE-7
1W-1
2C-9
2C-8
PE-9
12#
39
PE-3
PE-4
PE-5
PE-1
PE-8
M
2M
40
41
3#
38

53

Install cannon

54





55





56





57






0A
1
3
2
1A
2
1
2
4
4
4
3
3
4
1B
1
2
2
3
3
3
4
4
4
4
4
4
4
4
3
3
2
2
1
1C
1
3
2
3
1D
2
1
1
1
1


3
4
5
6
7
8
7
8
9
1
2
10
11
12
13
12
13
14
15
16
1E


1
2
1-a
1-a
3-a
2-a
4-a
2-b
2-c
4-c
1F


1G
1-a
1-a
3-a
2-a
4-a
2-b
2-c
4-c
1
2


1H
5
3
5
4
5
4
1
2
2-d
3-c
4-d
3-b
3-d
4-a


1i
2-d
3-c
4-d
3-b
3-d
4-a
1
1
1
2
1
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3
3


10-b
10-c
13-b
13-c
14-b
14-c
15-c
16-c
1J


10-b
10-c
13-b
13-c
14-b
14-c
15-c
16-c
1K


9-b
11-b
12-b
9-c
2
12-c
10-d
1
1L
20-b
23-b


9-b
11-b
12-b
9-c
12-c
10-d
20-b
23-b
1
1M


17-a
9-a
12-a
15-a
11-a
14-a
10-a
1
3
1N


17-a
9-a
12-a
15-a
11-a
14-a
10-a
1
2
2
3
1O


3
2
1
4
5
13-a
13-d
18-a
18-c
16-a
17-c
17-b
6
1P


13-a
1
13-d
18-a
2
18-c
1Q
16-a
17-c
17-b
3


1R
14-d
16-b
15-d
19-a
15-b
1
18-b
18-d
20-c


14-d
1S
16-b
15-d
19-a
15-b
18-b
1
18-d
20-c


16-d
20-a
21-a
21-b
1T
21-c
1
22-a
22-b
23-c


16-d
20-a
21-a
21-b
21-c
22-a
22-b
23-c
1
1U


24-a
24-b
22-c
23-a
19-c
19-b
11-c
1
2
3
4
1
5
5
5
5
1V


24-a
24-b
22-c
23-a
19-c
19-b
11-c
1
6
2
1
3
4
3
1W


1
2
1
2
1
2
1
2
3
3
3
3
3
3
3
3
4
4
1X


1
1
3
4
4
5
6
5
7
8
7
8
1Y


1
3
2
2
4
6
4
5
7
5
1Z


1
2
3
1Fa


1
3
2
1Fb


1
4
1Fc
2
4
3
2
4
4
1


1Fd
2
1


1Fe
2
1


1Ff
2
1


1Fg
2
1


1
1
2
1
1
1Fh


5-a
5-e
5-b
5-c
5-d
5-d
5-c
5-b
5-e
5-a
1
1
2A


2
1
1
2
2
1
1
2
9
6
8
4
5
3
7
7
7
7
7
2B


1
2
1
2
1
2
1
2
1
2
1
2
1
2
1
2
6
9
9
4
3
8
10
13
11
12
14
8
7
8
2C


3
2
1
4
5
6
2D


a
b
c
d
e
e
d
c
b
a

Add


1
6-d
8-c
8-b
7-c
7-b
6-c
6-b
2
6-a
7-a
3
8-a
4
5
3A


6-d
8-c
8-b
7-c
7-b
6-c
6-b
6-a
7-a
8-a
1
2
3
4
5
3B


b-8
b-7
b-7
b-8
8-d
7-d
7-d
8-d
1
2
3
3C


1
2
2
3
3
4
5
6
7
8
9
10
11
11
12
13
14
3D


1
1
2
3
3E


1
2
3
4
4
3
5
5
3F


5
4
3
2
1
9
8
7
6
4A


4B
5
4
3
2
1
11
10
9
8
7
6


12
12
13
9
10
10
9
11
11
11
11
5
4
6
7
8
8
7
1
2
3
2
4
5
4C


1
2
3
4D


1
2
3
4
5
4E


4
3
2
1
7
6
5
11
10
9
8
14
13
12
15
15
4F


1
1
2
13
17
3
4
15
14
16
5
4G
7
6
7
8
9
12
10
11


1
2
5A
3
4
5
6
7
8
9


5B


5C


4
3
6
5
1
2
6A


9A
1
2
2
3
3



















1.2X 5 20
1.5X 5 10
2X2 10
2X3 2
3X3 1
4X4 1
2X2 5 F
1.5X1.5 1 F
3X4 1 F
0.8 , 0.6 Copper wire
3 Round bar
5 Round bar